SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Monia, B.P., Cowsert, L.M. and Manoharan, M.
- (ii) TITLE OF INVENTION: Antisense Oligonucleotide Inhibition of ras
- (iii) NUMBER OF SEQUENCES: 55
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Jane-Massey Licata
 - (B) STREET: 66 East Main Street
 - (C) CITY: Marlton
 - (D) STATE: NJ
 - (E) COUNTRY: USA
 - (F) ZIP: 08053
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.44 Mb STORAGE
 - (B) COMPUTER: IBM COMPATIBLE
 - (C) OPERATING SYSTEM: WINDOWS 95
 - (D) SOFTWARE: WORDPERFECT 6.1 for WINDOWS
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: not assigned
 - (B) FILING DATE: herewith
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA 1:
 - (A) APPLICATION NUMBER: 09/128,494
 - (B) FILING DATE: August 3, 1998
- (vii) PRIOR APPLICATION DATA 2:
 - (A) APPLICATION NUMBER: 08/411,734
 - (B) FILING DATE: April 3, 1995
- (vii) PRIOR APPLICATION DATA 3:
 - (A) APPLICATION NUMBER: PCT/US93/09346
 - (B) FILING DATE: October 1, 1993

- (vii) PRIOR APPLICATION DATA 4:-
 - (A) APPLICATION NUMBER: 07/958,134 -
 - (B) FILING DATE: October 5, 1992
- (vii) PRIOR APPLICATION DATA 5:
 - (A) APPLICATION NUMBER: 08/007,996
 - (B) FILING DATE: January 21, 1993
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Jane Massey Licata
 - (B) REGISTRATION NUMBER: 32,257
 - (C) REFERENCE/DOCKET NUMBER: ISPH-0463
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (856) 810-1515
 - (B) TELEFAX: (856) 810-1454
- (2) INFORMATION FOR SEQ ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear
 - (iv) ANTI-SENSE: Yes
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

CTTATATTCC GTCATCGCTC

20

- (2) INFORMATION FOR SEQ ID NO: 2:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:	- . - .	
•	TCCGTCATCG CTCCTCAGGG	•••	20,
(2)	INFORMATION FOR SEQ ID NO: 3:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 17	•	
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:		
	CCACACCGAC GGCGCCC		17
(2)	INFORMATION FOR SEQ ID NO: 4:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 19		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:		
	CCCACACCGA CGGCGCCCA		19
(2)	INFORMATION FOR SEQ ID NO: 5:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 21		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

_	(iv) ANTI-SENSE: Yes	• · · · · · · · · · · · · · · · · · · ·	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:-		• • •
	GCCCACACCG ACGGCGCCCA C	• • •	21
(2)	INFORMATION FOR SEQ ID NO: 6:	•	
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 23 —		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:		
	TGCCCACACC GACGGCGCCC ACC		23
(2)	INFORMATION FOR SEQ ID NO: 7:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear	•	
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:		
	TATTCCGTCA TCGCTCCTCA		20
(2)	INFORMATION FOR SEQ ID NO: 8:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 5		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		

-	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:	·	
	CGACG		5,
(2)	INFORMATION FOR SEQ ID NO: 9:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 7 — ·		
	(B) TYPE: Nucleic Acid	•	
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:		
	CCGACGG		7
(2)	INFORMATION FOR SEQ ID NO: 10:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 9		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		•
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:		
	ACCGACGGC		9
(2)	INFORMATION FOR SEQ ID NO: 11:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 11		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		

	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:	÷, -,	
	CACCGACGGC G	**	~11
(2)	INFORMATION FOR SEQ ID NO: 12:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 13 — ·		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:		
	ACACCGACGG CGC		13
(2)	INFORMATION FOR SEQ ID NO: 13:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 15		
	(B) TYPE: Nucleic Acid		•
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:		
	CACACCGACG GCGCC		15
(2)	INFORMATION FOR SEQ ID NO: 14:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 16		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		

-	(iv)	ANTI-SENSE: Yes	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO: 14:	
	CCACA	CCGAC GGCGCC	16
(2)	INFORMA'	TION FOR SEQ ID NO: 15:	
	(i) S	EQUENCE CHARACTERISTICS:	
		(A) LENGTH: 16	
		(B) TYPE: Nucleic Acid	
		(C) STRANDEDNESS: Single	
		(D) TOPOLOGY: Linear	
	(iv) 2	ANTI-SENSE: Yes	
	(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO: 15:	
	CACAC	CGACG GCGCCC	16
(2)	INFORMAT	TION FOR SEQ ID NO: 16:	
	(i) SE	EQUENCE CHARACTERISTICS:	
		(A) LENGTH: 18	
		(B) TYPE: Nucleic Acid	
		(C) STRANDEDNESS: Single	
		(D) TOPOLOGY: Linear	
	(iv) A	ANTI-SENSE: Yes	
	(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO: 16:	
	CCCACA	ACCGA CGGCGCCC	18
(2)	INFORMAT	CION FOR SEQ ID NO: 17:	
	(i) SE	QUENCE CHARACTERISTICS:	
		(A) LENGTH: 18	
		(B) TYPE: Nucleic Acid	
		(C) STRANDEDNESS: Single	
		(D) TOPOLOGY: Linear	

	• • •
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:	
CCACACCGAC GGCGCCCA	i
(2) INFORMATION FOR SEQ ID NO: 18:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 25 —	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:	
TTGCCCACAC CGACGGCGCC CACCA	. 25
	•
(2) INFORMATION FOR SEQ ID NO: 19:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 17	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:	
CCACACCGCC GGCGCCC	17
·	
(2) INFORMATION FOR SEQ ID NO: 20:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	

	(xi) SEQUENCE DESCRIPTION: SEQ 1D NO: 20 CTGCCTCCGC CGCCGCGCC	**	20
	CIGCOTCGC CGCCGCGGCC		
(2)	INFORMATION FOR SEQ ID NO: 21:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20 —		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:		
	CAGTGCCTGC GCCGCGCTCG		20
	•		
(2)	INFORMATION FOR SEQ ID NO: 22:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single	•	
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:		
	AGGCCTCTCT CCCGCACCTG		20
	_		
(2)	INFORMATION FOR SEQ ID NO: 23:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear	•	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:	·	
	TTCAGTCATT TTCAGCAGGC	20)
(2)	INFORMATION FOR SEQ ID NO: 24:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:		
	TTATATTCAG TCATTTTCAG	20	
(2)	INFORMATION FOR SEQ ID NO: 25:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:		
	CAAGTTTATA TTCAGTCATT	20	
(2)	INFORMATION FOR SEQ ID NO: 26:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 21		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		

	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:	- · - ·	• •
	GCCTACGCCA CCAGCTCCAA C	···	2
	·		
(2) INFORMATION FOR SEQ ID NO: 27:		
-	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 17 — -		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:		
	CTACGCCACC AGCTCCA		17
(2)	INFORMATION FOR SEQ ID NO: 28:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 21		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:		
	GTACTCCTCT TGACCTGCTG T		21
(2)	INFORMATION FOR SEQ ID NO: 29:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 21		
	(B) TYPE: Nucleic Acid		

(C) STRANDEDNESS: Single

	·		• •
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:	· .	•
	CCTGTAGGAA TCCTCTATTG T	•••	21
(2)	INFORMATION FOR SEQ ID NO: 30:		
-	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:		
٠	GGTAATGCTA AAACAAATGC		20
(2)	INFORMATION FOR SEQ ID NO: 31:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:		
	GGAATACTGG CACTTCGAGG		20
(2)	INFORMATION FOR SEQ ID NO: 32:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 15		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

	(XI) SEQUENCE DESCRIPTION: SEQ ID NO: 32:		•
	TACGCCAACA GCTCC	···· . ,	15.
(2)	INFORMATION FOR SEQ ID NO: 33:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20 ·		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:		
	TTTTCAGCAG GCCTCTCTCC		20
(2)	INFORMATION FOR SEQ ID NO: 34:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single	•	
	(D) TOPOLOGY: Linear	•	
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:		
	TCAGTAATAG CCCCACATGG		20
(2)	INFORMATION FOR SEQ ID NO: 35:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:	•
	CCGGGTCCTA GAAGCTGCAG	2 0
	ccddfcciii ciiiotraio	
(2)	INFORMATION FOR SEQ ID NO: 36:	
(2)	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 — `	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:	
	TAAATCAGTA AAAGAAACCG	20
	-	
(2)	INFORMATION FOR SEQ ID NO: 37:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:	
	GGACACAGTA ACCAGGCGGC	20
(2)	INFORMATION FOR SEQ ID NO: 38:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:	
	AACAGAAGCT ACACCAAGGG	20
(2)	INFORMATION FOR SEQ ID NO: 39:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:	
	CAGACCCATC CATTCCCGTG	20
(2)	INFORMATION FOR SEQ ID NO: 40:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 40:	
	GCCAAGAAAT CAGACCCATC	20
(2)	INFORMATION FOR SEQ ID NO: 41:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	

(IV) ANII-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 41:	
AGGGGAAGA TAAAACCGCC	2
(2) INFORMATION FOR SEQ ID NO: 42:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20 — ·	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 42:	
CGCTTCCATT CTTTCGCCAT	20
•	
(2) INFORMATION FOR SEQ ID NO: 43:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 43:	•
CCGCACCCAG ACCCGCCCCT	20
-	
(2) INFORMATION FOR SEQ ID NO: 44:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 44:	• • •	• •
	CAGCCCCAC CAAGGAGCGG	**	20
(2)	INFORMATION FOR SEQ ID NO: 45:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 45:		
	GTCATTTCAC ACCAGCAAGA		20
(2)	INFORMATION FOR SEQ ID NO: 46:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 46:		
	CAGTCATTTC ACACCAGCAA		20
(0)	INFORMATION FOR SEQ ID NO: 47:		
(2)	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(2)		

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 47:	
CTCAGTCATT TCACACCAGC	20
(2) INFORMATION FOR SEQ ID NO: 48:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 48:	
CGTGGGCTTG TTTTGTATCA	20
(2) INFORMATION FOR SEQ ID NO: 49:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	•
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 49:	
CCATACAACC CTGAGTCCCA	20
(2) INFORMATION FOR SEQ ID NO: 50:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 50:	
	CAGACAGCCA AGTGAGGAGG	20
(2)	INFORMATION FOR SEQ ID NO: 51:	
-	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 —	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 51:	
	CCAGGGCAGA AAAATAACAG	20
(2)	INFORMATION FOR SEQ ID NO: 52:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 52:	
	TTTGTGCTGT GGAAGAACCC	20
(2)	INFORMATION FOR SEQ ID NO: 53:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 53:	

GCTATTAAAT	AACAATGCA	ς.
COLDITARA	AACAA ICCA	١. ١

- (2) INFORMATION FOR SEQ ID NO: 54:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear '
 - (iv) ANTI-SENSE: Yes
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 54:

ACTGATCACA GCTATTAAAT

20

- (2) INFORMATION FOR SEQ ID NO: 55:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear
 - (iv) ANTI-SENSE: Yes
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 55:

GCCGAGGTCC ATGTCGTACG C

21